### CITY OF LODI INFORMAL INFORMATIONAL MEETING "SHIRTSLEEVE" SESSION CARNEGIE FORUM 305 WEST PINE STREET TUESDAY, JANUARY 4, 2000

An Informal Informational Meeting ("Shirtsleeve" Session) of the Lodi City Council was held Tuesday, January 4, 2000 commencing at 7:00 a.m.

### **ROLL CALL**

Present:

Council Members - Hitchcock, Land, Nakanishi, Pennino and Mann (Mayor)

Absent:

Council Members - None

Also Present:

City Manager Flynn, Deputy City Manager Keeter, Public Works Director Prima, City

Attorney Hays and City Clerk Reimche

Also in attendance was a representative from the Lodi News Sentinel and The Record.

### TOPIC(S)

1. Wastewater Treatment Plant Master Plan

### **ADJOURNMENT**


No action was taken by the City Council. The meeting was adjourned at approximately 8:25 a.m.

ATTEST:

Use In Rimche Alice M. Reimche

City Clerk

### 1999 & Projected Industrial Wastewater Flows



### Alternatives for Satisfying Municipal Discharge Requirements

	Discharge Requirements								
Alternative	Anticipated Possible Future								
•	DO	BOD	Temp	Bact.	Zinc	NH3	Hg	Ν	P
Bishop Cut Outfall Pipeline	***	**	*	**	*		*		
Bishop Cut Outfall Wetlands	***	**;	***	**	**		**	**	
Nitrification		*				***			
Tertiary Filtration		*		***	*		*		
Enhanced Clarification		*				***			
Biological N Removal								**	
Biological P Removal		r the							**
Metal Salts Addition					**				***
.Other Treatment Wetlands		7,74	***		**		**	**	•
18.7									
Additional Irrigated Land	*	* 5 48		**				*	*
Winter Percolation (Zero Discharge)	***	***	***	***	***	***	***	*	***
Winter Well Injection	***	100	***		**		**		
Additional Storage	*		**						
Source Control					*		*		

Helps meet anticipated and future requirements
Meets anticipated requirements and probably meets future requirements
Reliably meets anticipated and future requirements.

# Draft Subjective Criteria Weightings

Relative Weightin	1.5	1.5	1.5	1.0	1.0	1.0	1.0	0.5	0.5	0.5	0.5
Criteria	Stëntial Future Disch	Reliability	Flexibility	Ease of Operation & Maintenance	Ease of Implementation	Environmental Impacts	Safety	Potential Recreational/Open Space Benefits	Aesthetics	Secondary Economic Benefits	Resource Management Considerations

## Update Discharge Requirements

# Difficult Negotiations on Major Issues

- Compliance schedule in permit desired
- Dilution/Mixing credit for trace pollutants
- No tertiary disinfection without Basin Plan update
- Reasonable limits for Lindane

# SB709 - Immediate Fines

Could Be \$100,00/year or more

## Schedule of Events

- Formal submitted by December 17, 1999 deadline
- Hearing; scheduled for January 28, 2000; may be March

## Permit Comments by Others

- ▶ EPA concerns over mercury
- State Dept. of Health Services misc. details; wants to review and approve any construction plans
- DeltaKeeper mass limits; antidegradation policy/backsliding; short term coliform limits; additional monitoring; local limits; THM's; trucked waste